

As in leaflets.

Antidote

No specific antidote is known. Apply symptomatic therapy.

First Aid

1. Remove the affected person from the danger zone to a well-ventilated area or to fresh air and protect him from under cooling.
2. In case of suspected poisoning: immediately call a physician.
3. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. In case of eye contact: Rinse eyes with clean water for several minutes and immediately call a physician. In case of ingestion: Repeatedly administer medicinal charcoal in a large quantity of water.
4. Note: Never give anything by mouth to an unconscious person. Do not induce vomiting.

Symptoms

poisoning symptoms in rodents are non-specific, may cause symptoms of ataxia, salivation, lachrymation and decreased breathing etc.

Recommendations

As in Direction for use.

Manufactured by:

Toshi Insecticides India
Gaushala Road, Near Cooler Factory, Geeta House, Karnal
Karnal, Karnal, Haryana

Manufacturer Premises:

Meerut Road, Village Andhera, District-Karnal, Haryana-132001

n 3° 0' 3" — m° | Ž

2^a pμ žvž ž - μ - p°

b'

m' 2 α — » 3 — ° f'

— ' 2 " ff μ · õα'

° žšfl

® —

®3 b® 2 " ± " ± "

3 TM - TSSISS' " ± " ± "

q®3 TM — μ 3 - « -

a 3 2 a a° 2 ' \$%) ' ©, © f ' μ 2 | ž° 3 » μ — , ! (' ©, © f ! ' !

w — ° » ®3 TM — α — , — 2 " » j ' ' © ' q« 3 ' © a ' ° ®, ' "

3 , μ © ' ' ' © ' »

3 TM © { ' — μ 3 ' ° . — 3 -

o° — α — , — ' ' ° μ ' ® ' 2 — 2 a — 3 ' — ' ® ' TM ' " . œ " — ' ° 2 3 "

o © 2 μ ' — » — ' | ' 3 » ' 2 Ÿ μ ' — μ w ± ' . 1 — ' » Q

. 1 — —

— p ' ' ° . 1 ' ' © » ' ' — » » ž μ ¼ ' ' — m — ° ' ' œ — n° ' — Q

a 2 — œ — f° -

1! ' ± . © y³ a© — ' « 1 © j TM » ' ° ' ». « ' — 2 ' 3 ' — μ ' ». ' 2 ' μ ' "

j w | ' ' © ® 2 — ' ° ' œ w Q

2! ' ñ œ ' 2 ' μ TM — ' ® ' ' « 1 © — ® É ' — q© ' ' « ' © a ' , ' ' — ' ± . © ' "

» ° ' — ° ° — | ' ' ® — ' ° ' mçŸ ' ' © ' ' — w Q

3! ' n — ' 2 ' œ μ ' j — ' ® ' ' n — ' — Ÿ ' « ' ' — ' ° ' ® — ' ° ' mçŸ ' "

© ' » Ÿ ®Ÿ ® ov Q — TM μ ' j — ' ® ' ' ® — ' 2 ' 2 | ° — μ ' œ — μ ' — ' — "

2 ' š μ — ' ° ' ' ' « | ' ' j a α — ' ° μ o³ Q

4! ' ° œ — ' 3 « 2 ' j ' ° » , ' » ' © ž 2 » ' ° ' — Ÿ ' — ' « Q qýα ' — ' — ' "

— , , ' — ' — Q

μ ¼ ' -

œ ' ® ' . 1 ' — — p' — œ® μ ¼ ' ' « — p' — » ' « 3 ž μ — ' m° © μ — ž

μ ' ' α — ž n ° ' n — ' © a ' ° ° ' μ — 2 ' — Ÿ — pž j ° ' μ ¼ ' ' « ' "

° — © ' » Q

q®3 TM

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

q^{®3}™ — μw «, '2' »Q

-2 p -'

m j '2' μ™ m-°

gn[®] «- '® '° ' -

m j '2' μ™ m-°

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet